


TOP VIEW



NOTES:

1. FOR ITEMIZED PARTS, SEE CCAUSD No. 845.
2. THE HAND SYMBOL (DON'T WALK) IS PORTLAND ORANGE AND HUMAN SYMBOL (WALK) IS LINAR WHITE.
3. DETIAL SHOWN FOR CONSTRUCTION REFERENCE. CONTRACTOR INSTALLATION AT SOME LOCATION MAY REQUIRE A DIFFERENT LAYOUT OF PARTS.

DEPARTMENT OF PUBLIC WORKS



STANDARD DETAIL


DATE: 6/13/19

DRAWN BY: LJPC

SHEET: 1 OF 1

PROWAG AND
DOWNTOWN PROJECTS

PEDESTRIAN SIGNAL
ASSEMBLY W-4T



DEPARTMENT OF PUBLIC WORKS

STANDARD DETAIL



DATE: 6/13/19


DRAWN BY: LJPC

SHEET: 1 OF 1

PROWAG AND DOWNTOWN PROJECTS

SIGNAL ASSEMBLY B-14T (MOD)

PROVIDE LOUVERED
BACKPLATE
SIMILAR TO USDCCA
NO. 840



NOTES:

1. FOR ITEMIZED PARTS SEE USDCCA NO. 845.
2. FOR ARROW LENS SEE USDCCA NO. 890.
3. ALL INDICATIONS ARE 12-INCH NOMINAL

DEPARTMENT OF PUBLIC WORKS



STANDARD DETAIL


DATE: 6/18/19

DRAWN BY: LJPC

SHEET: 1 OF 1

PROWAG AND
DOWNTOWN PROJECTS

SIGNAL ASSEMBLY M-4



DEPARTMENT OF PUBLIC WORKS
STANDARD DETAIL



DATE: 6/13/19


DRAWN BY: LJPC

SHEET: 1 OF 1

PROWAG AND
DOWNTOWN PROJECTS

PEDESTRIAN CROSSWALK
RRFB ASSEMBLY

NOTE:
 POLE SHALL BE HARD WIRED USING
 (2) NO. 10 COND. A 15 AMP CIRCUIT
 BREAKER SHALL BE INSTALLED FOR
 THE ENTIRE RRFB PED CROSSING.



DEPARTMENT OF PUBLIC WORKS

STANDARD DETAIL



DATE: 6/13/19

DRAWN BY: LJPC

SHEET: 1 OF 1

PROWAG AND
 DOWNTOWN PROJECTS

PEDESTRIAN PUSH
 BUTTON SIGN